

FIG. 1




FIG. 2a






FIG. 2b






FIG. 5




FIG. 6




FIG. 7A




FIG. 7B




FIG. 8A




FIG. 8B




FIG. 8C




FIG. 8D

94

Configure Servers

Decommission 102

0000833 Information

ID			
Location	DataCenter Building 01, Floor 02, Cage 2137, Row 0F, Rack 011, Slot B		
Status	<i>The Status is now derived from a combination of USE, STATE, and STAGE.</i>		
USE	<div style="background-color: #e0e0e0;">EMBRYO</div> DEVELOPMENT STAGING PRODUCTION INTERNAL	<div>▲</div> <div>▼</div>	96
STAGE	<div style="background-color: #e0e0e0;">LIVE</div> IN DEPLOYMENT	<div>▲</div> <div>▼</div>	98
STATE	<div style="background-color: #e0e0e0;">OK</div> OFFLINE	<div>▲</div> <div>▼</div>	100
Reporting	OK		
Type	SERVER		
OS	Linux 2.2.12-20smp		
Storage Cap	2.14 GB		
CPU	GENUINEINTEL (2)		
Memory	971.45 MB, 1025.00 MB		
OS Role	Linux (Default)		
App Role	Log Server		
Cust Role	Unspecified		

▲

▼

FIG. 8E




FIG. 8F




FIG. 8G

112

Read/Write on xxxx.xxxxxx | [Sign out](#)

Configure Servers: Role Assignment

Home > [Select DC or Account](#) > [Server List for](#) > Role Assignment

Configure Servers-Role Assignment for

Include Deprecated Roles

118

Application Role

NONE

▲

Apache 1.3.12+Weblogic 5.1 SP5 Connector Prod v1
 Apache 1.3.12+Weblogic 5.1 SP5 Connector Staging v1
 Apache 1.3.12+Weblogic 5.1 SP4 Connector v1
 Apache 1.3.12+Weblogic 5.1 SP4 Connector v2
 ATG5.0 OracleClient 8.1.6 v1
 ATG5.0 sp1 Oracle 8.1.6 v1
 ATG_DCS_5.0_SP1_OracleClient_8.1.6 v1
 ATG_DCS_5.0_SP1_OracleClient_8.1.6 v2
 Backup Master Server v1

▼

Customer Code & C

NONE

Customer Codes & Accounts
 Customer Codes (no account
 Customer Codes and Account
 Phase 2 - Prod AccCld v1
 Phase 2 - Prod App v1
 Phase 2 - Prod Web v1
 Phase 2 - Staging AccCld v1
 Phase 2 - Staging App v1
 Phase 2 - Staging Web v1

114

116

◀

▶

FIG. 8H




FIG. 8I




FIG. 8J




FIG. 9A

128

Hostname:	xxx.xxxx.com
OS Version	SunOS 5.7
IP	143:
Address/Hostname:	xxx.xxxx.com
Data Center:	
Customer:	
Manufacturer:	SUN MICROSYSTEMS
Model:	ENTERPRISE 220R
System Location:	null
Type:	SERVER
Notes:	
Status:	PRODUCTION
Mid:	
Device Role:	
OS Role:	<u>SunOS 5.7 (Default)</u>
App Role:	<u>WL 5.1 sp5 Domestic w/128</u>
Customer Role:	<u>plus Oracle 8.1.6 Client</u>
Create Date:	8/29/2000
Platform:	SunOS 5.7
Service:	WEB
Actions:	
	<u>View VLAN</u> <u>Goto Configure Servers</u>
	<u>Configure OS Role</u> <u>Configure App/Cust Role</u>

FIG. 9B




FIG. 9C




FIG. 10A




FIG. 10B